

Laboratory Director: Deborah E. Blue, MD, MT(ASCP)

<b>Patient Name</b> REPORT , AFID		<b>DOB</b>	<b>Report Printed</b> 4/21/2020
<b>Specimen Type</b> Serum		<b>Client Information</b> Test RightFax 5 Upstairs Left	<b>MiraVista ID</b> M00001023
<b>Specimen ID</b>			
<b>Collection Date</b> 01/01/2001	<b>Received Date</b> 03/17/2020	<b>Fax</b> 317-455-2189	

**LAB SERVICES REPORT**

Test	Result	Unit	Interpretation	Report Date
<b>324 Aspergillus Antibody by Immunodiffusion</b>				
anti-Aspergillus FID	Positive		<b>ANTIBODY DETECTED</b>	03/30/2020

**Test Parameters:**

Reference Interval: Negative, Antibody Not Detected

This document contains confidential privileged information. The recipient of the information is prohibited from disclosing the contents to another party without authorization. If you are not the intended recipient, you are hereby notified that disclosure of the contents is strictly prohibited. Please notify MiraVista Diagnostics immediately if you received this information in error.

<b>Patient Name</b> REPORT , AFID	<b>Specimen ID</b>	<b>Specimen Type</b> Serum	<b>Collection Date</b> 01/01/2001
--------------------------------------	--------------------	-------------------------------	--------------------------------------